





K 7 Compact

Extra compact for frequent use on stubborn dirt: The K 7 Compact pressure washer. Quick and easy to transport and stow. 60 m²/h area performance.



1 Sophisticated hose storage concept

- The hose can be wound up, fixed in place with an elastic strap and quickly removed again ready for the next job.

2 Water-cooled motor and outstanding performance

- The water-cooled motor impresses with its particularly long service life and high power.

3 Telescopic handle

- The aluminium telescopic handle can be extended for transport and retracted again for storage.

4 Integrated accessory storage on the device

- Convenient and space-saving accessory storage.



K 7 Compact

- Quick Connect: the high-pressure hose is easy to handle, clicking quickly in and out of the device and trigger gun
- Integrated suction mechanism for detergents

Technical data

Order no.	1.447-050.0	
EAN code	4054278438542	
Pressure	bar / MPa	20 - max. 180 / 2 - max. 18
Flow rate	l/h	max. 600
Max. inlet temperature	°C	max. 60
Connection load	kW	3
Weight without accessories	kg	16
Dimensions (L × W × H)	mm	378 × 291 × 516
Current type	V / Hz	230 / 50

Equipment

Equipment	High-pressure gun	G 180 Q	Rubber band for attaching the high-pressure hose	■
Vario Power Jet		■		
Dirt Blaster		■		
High-pressure hose	m	10 / PremiumFlex Anti-Twist		
Quick Connect on the side of the device		■		
Detergent application via		Suction hose		
Water suction		■		
Integrated water filter		■		
A3/4" garden hose connector adapter		■		
Telescopic handle		■		
Water-cooled motor		■		

■ Included in the scope of supply.

K 7 COMPACT

1.447-050.0

KÄRCHER



		Order no.					Price	Description	
Spray lances									
VP 180 vario power jet for K 7	1	2.642-726.0						Vario power spray lance for pressure washers in class K 7. Continuously adjustable from low-pressure detergent jet to high-pressure jet, simply by turning the spray lance.	■
DB 180 dirt blaster for K 7	2	2.642-729.0						Dirt blaster with powerful top rotary nozzle for Kärcher pressure washers in class K 7. For particularly stubborn dirt like that on mossy or weathered surfaces.	■
Splash guard	3	2.642-706.0						Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	□
Angled spray lance	4	2.638-817.0						Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle underbodies.	□
1-step lance extension	5	2.643-240.0						Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	□
VP 180 S vario power jet short 360° for K 2-K 7	6	2.643-254.0						VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	□
MP 180 multi power jet for K 6-K 7	7	2.643-238.0						Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	□
Telescopic spray lance	8	2.642-347.0						Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gun. Weight: ca. 2 kg	□
Trigger guns									
G 180 Q Quick Connect trigger gun	9	2.642-889.0						The new G 180 Q spray gun with Quick Connect is 13 cm longer and is now even more convenient to use and more ergonomic when cleaning with Kärcher pressure washers.	■
High-pressure replacement hose: With anti-twist system and Quick Connect system									
H 10 Q Flex PremiumFlex anti twist	10	2.643-585.0						Innovative PremiumFlex high-pressure hose with anti-twist system for twist-free work. 10 m long. Includes Quick Connect adaptor. For devices in the K 2 to K 7 ranges. Not suitable for hose reel devices or for Full Control devices in the K 4 to K 7 ranges.	■
Surface cleaners									
T 7 Plus T-Racer surface cleaner	11	2.644-074.0						Power nozzle for ultimate cleaning power, even in corners and along edges: The T 7 Plus T-Racer surface cleaner with rinse function - for effective and splash-free cleaning of large areas.	□
T 5 T-Racer surface cleaner	12	2.644-084.0						Thorough and splash-free cleaning over large areas: The T 5 T-Racer surface cleaner. The adjustable nozzle position means the surface cleaner can be used to clean hard and delicate surfaces alike.	□
PS 30 power scrubber surface cleaner	13	2.644-123.0						The PS 30 power scrubber, with its three integrated high-pressure nozzles, powerfully removes stubborn dirt from various surfaces, while saving time. Ideal for stairs and edges. Includes integrated squeegee blade to remove the dirty water.	□
Brushes									
WB 150 power brush	14	2.643-237.0						WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.	□

■ Included in the scope of supply. □ Available accessories.

K 7 COMPACT 1.447-050.0

KÄRCHER



		Order no.				Price	Description	
WB 120 rotating wash brush	15	2.644-060.0					Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.	<input type="checkbox"/>
WB 120 rotating wash brush Car & Bike	16	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.	<input type="checkbox"/>
WB 60 soft surface wash brush	17	2.643-233.0					Soft flat brush for cleaning larger areas such as car, caravan, boat, conservatory or roller shutters. Good area performance with working width of 248 mm.	<input type="checkbox"/>
Wheel washing brush	18	2.643-234.0					Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.	<input type="checkbox"/>
Garden hose adapter	19	2.640-732.0					Adapter for garden hose connection - suitable for attaching all Kärcher brushes to garden hoses with the quick-coupling system.	<input type="checkbox"/>
Wash brush	20	6.903-276.0					Wash brush with soft bristles for cleaning sensitive areas and areas which are difficult to access in the outside area. Suitable for all Kärcher K 2 to K 7 pressure washers.	<input type="checkbox"/>
High-pressure replacement hose: system from 2009 with Quick Connect system								
H 9 Q high-pressure hose Quick Connect	21	2.641-721.0					9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.	<input type="checkbox"/>
High-Pressure replacement hose kit system from 1992								
Extension hose adapter kit	22	2.643-037.0					Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.	<input type="checkbox"/>
High-pressure extension hose: System for devices with Quick Connect system								
XH 10 Q Quick Connect extension hose	23	2.641-710.0					High-pressure hose extension for greater flexibility. 10-m, robust DN 8 quality hose for excellent durability. For K 3-K 7 devices with Quick Connect adapter.	<input type="checkbox"/>
XH 6 Q extension hose Quick Connect	24	2.641-709.0					High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	<input type="checkbox"/>
Pipe cleaning								
PC 20 roof gutter and pipe cleaning kit	25	2.642-240.0					The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	<input type="checkbox"/>
PC 15 pipe cleaning kit	26	2.637-767.0					Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
PC 7.5 pipe cleaning kit	27	2.637-729.0					Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	<input type="checkbox"/>
Foam jet								
FJ 6 foam jet	28	2.643-147.0					FJ 6 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	<input type="checkbox"/>
FJ 10 C Connect 'n' Clean foam jet + 3-in-1 Ultra Foam Cleaner	29	2.643-143.0					Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 7 COMPACT

1.447-050.0

KÄRCHER



		Order no.						Price	Description	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	30	2.643-144.0							Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	31	2.643-145.0							Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	<input type="checkbox"/>
Miscellaneous										
SH 5 suction hose	32	2.643-100.0							Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	<input type="checkbox"/>
Sand and wet-blasting kit	33	2.638-792.0							Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	<input type="checkbox"/>
Vario joint	34	2.640-733.0							Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	<input type="checkbox"/>
Water filter	35	4.730-059.0							Water filter protects pressure washer pumps against dirt particles from dirty water.	<input type="checkbox"/>
O-ring set	36	2.640-729.0							Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.

K 7 COMPACT

1.447-050.0

KÄRCHER



		Order no.					Price	Description	
Hose storage and hose trolley									
Premium Hose Reel HR 7.315 Kit 5/8"	1	2.645-165.0						Watering station with detachable hose reel, storage option for nozzles and sprinklers, large storage box and fixing option for spray lances. Fully equipped.	<input type="checkbox"/>
Hose Trolley HT 3.420 Kit 5/8"	2	2.645-167.0						Fully assembled hose trolley with height-adjustable handle, angled hose connection, freewheeling crank handle and sophisticated folding function for space-saving storage.	<input type="checkbox"/>
Premium Hose Reel HR 7.315 Kit 1/2"	3	2.645-164.0						Fully equipped watering station. With detachable hose reel, storage for nozzles and sprinklers, large storage box and fixing option for spray lances.	<input type="checkbox"/>
Hoses									
Hose set for pressure washers	4	2.645-156.0						Hose set for high-pressure cleaning and garden watering. With 10m PrimoFlex® hose (3/4"), G3/4 tap adaptor, universal hose connector and universal connector with Aqua Stop.	<input type="checkbox"/>
Water supply hose set	5	2.645-258.0						Hose set for water supply (pressure washer, garden watering). With 10m PrimoFlex® hose (1/2"), hose connector with and without Aqua Stop, universal connection for taps without thread.	<input type="checkbox"/>
PrimoFlex® hose 1/2" - 20 m	6	2.645-138.0						The robust PrimoFlex® (1/2") garden hose is a 20m long, temperature-resistant (from -20 to 65°C) and physiologically safe water hose with pressure-proof coating. Bursting pressure: 24 bar.	<input type="checkbox"/>
PrimoFlex® hose 3/4" - 25 m	7	2.645-142.0						PrimoFlex® quality garden hose (3/4"). 25 m long. With pressure-resistant woven reinforcement. Contains no substances that are harmful to health. Bursting pressure: 24 bar. High temperature resistance from -20 to 65 °C.	<input type="checkbox"/>
Hose Performance Plus 1/2" -20m	8	2.645-318.0							<input type="checkbox"/>
Hose Performance Plus 3/4" -25m	9	2.645-322.0							<input type="checkbox"/>
Performance Premium hose, 1/2" -20 m	10	2.645-324.0							<input type="checkbox"/>
Hose connection systems									
Universal hose coupling Plus	11	2.645-193.0						Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal hose coupling Plus with Aqua Stop	12	2.645-194.0						Universal hose coupling plus with Aqua Stop and soft plastic recessed grips for comfortable handling. Compatible with all click systems.	<input type="checkbox"/>
Universal Hose Connector with Aqua Stop	13	2.645-192.0						Universal hose connector with Aqua Stop in ergonomic design for comfortable handling.	<input type="checkbox"/>
Universal Hose Connector	14	2.645-191.0						Universal hose connector in ergonomic design for comfortable handling.	<input type="checkbox"/>

■ Included in the scope of supply. □ Available accessories.